

Patent Number: ☐ EP0964034, B1

Publication date: 1999-12-15

Inventor(s): RUSS WERNER HUBERT DR (DE); KUNZE MICHAEL (DE); HUSSONG KURT DR (DE); SCHULZE-BRAUCKS MANFRED DR (DE)

Applicant(s): DYSTAR TEXTILFARBEN GMBH & CO (DE)

Requested Patent: ☐ EP0976794, B1

Application Number: EP19990118521 19950213

Priority Number(s): DE19944405358 19940219; EP19950101916 19950213

IPC Classification: C09B67/22; D06P3/66

EC Classification: C09B67/00M, C09B67/00M8B2

EC Classification: C09B67/00M; C09B67/00M8B2

Equivalents: ☐ EP0969050, ☐ EP0971002, B1, ☐ EP0978543, B1,
☐ EP0978544, B1, ☐ EP0982375, B1

Cited Documents: DE3209533; DE2442553

Abstract

Reactive dye mixtures comprise: (a) 90-99.99 wt. % substituted 4-arylo-3-chloro-, -acetamido- or -ureido-aniline (I); (b) 0-10 wt. % substituted 4-arylo-5-hydroxy-1-sulfo-phenylpyrazole (II); and (c) 0-10 wt. % acylamido-2-arylo-1-naphthol-3-sulfonic acid (III), in which the aryl groups are substituted by beta -substituted ethylsulfonyl, and contain NOTLESS 2 reactive dyes. Reactive dye mixtures comprise 90-99.99 wt. % substituted 4-arylo-3-chloro-, -acetamido- or -ureido-aniline (I), 0-10 wt. % substituted 4-arylo-5-hydroxy-1-sulfo-phenylpyrazole (II) and 0-10 wt. % acylamido-2-arylo-1-naphthol-3-sulfonic acid (III) of the given formulae, in which the aryl groups are substituted by beta -substituted ethylsulfonyl, and contain NOTLESS 2 reactive dyes. D = phenyl-SO₂-CH₂-CH₂-Z; Z = sulfato (-SO₃H), chlorine (Cl) or thiosulfato (-S-SO₃H); phenyl = a phenyl group, optionally substituted by 1 or 2 methyl, methoxy or sulfo groups; D<3> = phenyl with a -SO₂-CH₂-CH₂ and optionally 1 or 2 methyl, methoxy or sulfo substituents or naphthyl, optionally with a -SO₂-CH₂-CH₂-Z and 0-3 sulfo substituents or phenyl-CONH-phenyl-SO₂-Y; Y = -CH=CH₂ or -CH₂-CH₂-Z; R<1> = methyl, carboxy or aminocarbonyl; R<2> = methyl or phenyl; R<7>, R<70> = hydrogen (H), 1-4 carbon (C) alkyl or -CH₂-CH₂-OSO₃H; R<71> = Cl, -NH-CO-CH₃ or -NH-CO-NH₂; a = 0 or 1